

DELPHION

RESEARCH

PRODUCTS

INSIDE DELPHION

My Account

Search: Quick/Number Boolean Advanced Derwent Help

No active trail

The Delphion Integrated View

Get Now: <input type="checkbox"/> PDF <input type="checkbox"/> File History <input type="checkbox"/> Other choices	Tools: Add to Work File: <input type="checkbox"/> Create new Work File <input type="checkbox"/>
View: <input type="checkbox"/> INPADOC <input type="checkbox"/> Jump to: <input type="text"/> Top <input type="checkbox"/> Go to: Derwent	<input checked="" type="checkbox"/> Email this to a friend

JP04144949A2: ADMIXTURE FOR ASBESTOS-FREE CEMENT EXTRUSION MOLDING

Derwent Title: Asbestos-free cement extrusion moulding admixture - comprises water-soluble or -dispersible cellulose deriv. and water-soluble or -dispersible acry-based polymer [Derwent Record]

Country: JP Japan

Kind: A

Inventor: SHIMOMURA TADAAKI;
ADACHI SEIJI;

Assignee: DAI ICHI KOGYO SEIYAKU CO LTD
News, Profiles, Stocks and More about this company

Published / Filed: 1992-05-19 / 1990-10-04


Application Number: JP1990000267855

IPC Code: Advanced: B28B 3/20; C04B 14/04; C04B 14/38; C04B 24/26; C04B 24/38; C04B 28/04;
Core: C04B 14/02; C04B 24/00; C04B 28/00; more...
IPC-7: B28B 3/20; C04B 14/04; C04B 14/38; C04B 24/26; C04B 24/38; C04B 28/04;

Priority Number: 1990-10-04 JP1990000267855

Abstract: **PURPOSE:** To provide the title admixture improving extrusion operation, supplying molded articles having excellent surface smoothness, etc., by blending a water-soluble or water-dispersible cellulose derivative with an acrylic polymer in a specific weight ratio.

CONSTITUTION: (A) 95-50wt.% water-soluble or water-dispersible cellulose derivative (e.g. methylhydroxypropyl cellulose) is blended with (B) 5-50wt.% water-soluble or water-dispersible



acrylic polymer (e.g. N,N-dimethylacrylamide/sodium acrylate copolymer) to produce an admixture for asbestos-free cement extrusion molding. In using the admixture, main components comprising a fibrous material (e.g. rock wool) not containing asbestos, cement, an aggregate (e.g. silica sand), etc., are mixed with the admixture, blended in a dry state by a mixer, etc., kneaded with water and the kneaded material is extrusion molded to produce moldings.

COPYRIGHT: (C)1992,JPO&Japlo

Family: None

Other Abstract
Info:

CHEMABS 117(14)136549C CAN117(14)136549C DERABS C92-221910 DERC92-221910



Nominate this for the Gallery...



THOMSON

Copyright © 1997-2006 The Thomson Corporation
Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help

DELPHION

RESEARCH

PRODUCTS

INSIDE DELPHION

No active trail

My Account

Search: Quick/Number Boolean Advanced Derwent Help

Derwent Record

View: Expand Details

Go to: Delphion Integrated View

Tools: Add to Work File

Create new Work File

☒ Email this to a friend

Derwent Title: Asbestos-free cement extrusion moulding admixture - comprises water-soluble or -dispersible cellulose deriv. and water-soluble or -dispersible acryl-based polymer

Original Title: ☒ JP04144949A2: ADMIXTURE FOR ASBESTOS-FREE CEMENT EXTRUSION MOLDING

Assignee: DAIICHI KOGYO SEIYAKU CO LTD Standard company
Other publications from DAIICHI KOGYO SEIYAKU CO LTD (DAII)...

Inventor: None

Accession/Update: 1992-221910 / 199227

IPC Code: C04B 28/04 ; B28B 3/20 ; C04B 14/04 ; C04B 14/38 ; C04B 24/26 ; C04B 24/38 ; C04B 14/04 ; C04B 14/38 ; C04B 14/46 ; C04B 24/26 ; C04B 24/38 ; C04B 28/04 ;

Derwent Classes: A93; L02; P64;

Manual Codes: A03-A04A(Cellulose ethers uses) , A04-F01A(Polymers from nitrogen- and halogen-free, substituted aliphatic monocyclic) , A12-R01A(Concrete, cement, gypsum, mortar compositions and boards) , L02-D04B

Derwent Abstract: (JP04144949A) The cement extrusion moulding admixture formulated around an asbestos-free fibrous substance, cement, and an aggregate comprises (a) a water-soluble or water-dispersible cellulose deriv. of 95-50wt.% and (b) a water-soluble or water-dispersible acryl-based polymer of 5-50wt.%.
Use - The moulding admixture is used for cement extrusion moulding. The admixture provides extrusion moulding with surface smoothness and good extrusion moulding function

Family: ☒ JP04144949A * 1992-05-19 199227 8 English C04B 28/04
Local appls.: JP1990000267855 Filed:1990-10-04 (90JP-0267855)

Dwg. 0/0

Patent: Pub. Date Derwent Update Pages Language IPC Code

Priority Number:

Application Number	Filed	Original Title
JP1990000267855	1990-10-04	ADMIXTURE FOR ASBESTOS-FREE CEMENT EXTRUSION MOLDING

Polymer Multipunch Codes:

Show polymer multipunch codes

Related Accessions:

Accession Number	Type	Derwent Update	Derwent Title
C1992-099844	C		
N1992-168747	N		
2 items found			

Title Terms:

ASBESTOS FREE CEMENT EXTRUDE MOULD ADMIXED COMPRISE WATER SOLUBLE DISPERSE CELLULOSE DERIVATIVE
WATER SOLUBLE DISPERSE ACRYL BASED POLYMER

Pricing Current charges

Derwent Searches:	Boolean	Accession/Number	Advanced
-------------------	---------	------------------	----------

Data copyright Thomson Derwent 2003

THOMSON

Copyright © 1997-2006 The Thomson Corporation
Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help